Volume 244 Author Index

Adkins, C. A. and Stott, P., Home ranges, movements and habitat associations of red foxes *Vulpes vulpes* in suburban Toronto, Ontario, Canada, 335

Aerts, P., see Herrel, A., Aerts, P. and De Vree, F., 135

Aleper, D., see Cullinane, D. M. and Aleper, D., 453

Aleper, D., see Cullinane, D. M., Aleper, D. and Bertram, J. E. A., 447

Altringham, J. D., see Park, K. J., Masters, E. and Altringham, J. D., 379

Andersen, R., see Linnell, J. D. C. and Andersen, R., 497

Arad, Z. and Avivi, T. R., Ontogeny of resistance to desiccation in the bush-dwelling snail *Theba pisana* (Helicidae), 515

Aspinall, R. J., see Daniels, M. J., Balharry, D., Hirst, D., Kitchener, A. C. and Aspinall, R. J., 231

Avivi, T. R., see Arad, Z. and Avivi, T. R., 515

Baker, J. R., see Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., 563

Bailey, W. J. and Haythornthwaite, S., Risks of calling by the field cricket *Teleogryllus oceanicus*; potential predation by Australian long-eared bats, 505

Balharry, D., see Daniels, M. J., Balharry, D., Hirst, D., Kitchener, A. C. and Aspinall, R. J., 231

Barth, F. G., see Gorb, S. N., Landolfa, M. A. and Barth, F. G., 323

Bellwood, O., The phylogeny of box crab genera (Crustacea: Brachyura: Calappidae) with notes on their fossil record, biogeography and depth distribution, 459

Bennett, N. C., see Gaylard, A., Harrison, Y. and Bennett, N. C., 313

Bennett, N. C., see Wallace, E. D. and Bennett, N. C., 51

Berger, J., see Sweitzer, R. A. and Berger, J., 159

Bertram, B. C. R., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473

Bertram, J. E. A., see Cullinane, D. M., Aleper, D. and Bertram, J. E. A., 447

Betz, O., Comparative studies on the predatory behaviour of *Stenus* spp. (Coleoptera: Staphylinidae): the significance of its specialized labial apparatus, 527

Beuchat, C. A., see Casotti, G., Beuchat, C. A. and Braun, E. J., 175

Bieber, C., Population dynamics, sexual activity, and reproduction failure in the fat dormouse (*Myoxus glis*), 223

Black, A. D., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209

Bockhardt, I., see Stolte, M., Bockhardt, I. and Odening, K., 265

Boeadi, see Shine, R., Harlow, P. S., Keogh, J. S. and Boeadi, 405

Boix-Hinzen, C. and Lovegrove, B. G., Circadian metabolic and thermoregulatory patterns of red-billed woodhoopoes (*Phoeniculus purpureus*): the influence of huddling, 33

Braun, E. J., see Casotti, G., Beuchat, C. A. and Braun, E. J., 175

Bray, R. A., see Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., 563

Bretagnolle, V., see Mougeot, F., Genevois, F. and Bretagnolle, V., 429

Brooke, M. de L. and Nakamura, H., The acquisition of host-specific feather lice by common cuckoos (*Cuculus canorus*), 167

Bull, S. A., Chalmers, R. M., Sturdee, A. P. and Healing, T. D., A survey of *Cryptosporidium* species in Skomer bank voles (*Clethrionomys glareolus skomerensis*), 119

Caro, T. M., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473

Carss, D. N., Elston, D. A. and Morley, H. S., The effects of otter (*Lutra lutra*) activity on spraint production and composition: implications for models which estimate prey-size distribution, 295

Casotti, G., Beuchat, C. A. and Braun, E. J., Morphology of the kidney in a nectarivorous bird, the Anna's hummingbird *Calypte anna*, 175

Chalmers, R. M., see Bull, S. A., Chalmers, R. M., Sturdee, A. P. and Healing, T. D., 119

Collins, D. A., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473

Corpe, H. M., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209

Cransac, N., Gerard, J.-F., Maublanc, M.-L. and Pépin, D., An example of segregation between age and sex classes only weakly related to habitat use in mouflon sheep (*Ovis gmelini*), 371

Cullinane, D. M. and Aleper, D., The functional and biomechanical modifications of the spine of *Scutisorex somereni*, the hero shrew: spinal musculature, 453
Cullinane, D. M., Aleper, D. and Bertram, J. E. A., The functional and biomechanical modifications of the spine of *Scutisorex somereni*, the hero shrew: skeletal scaling relationships, 447
Daniels, M. J., Balharry, D., Hirst, D., Kitchener, A. C. and Aspinall, R. J., Morphological and pelage characteristics of wild living cats in Scotland: implications for defining the 'wildcat', 231
De Vree, F., see Herrel, A., Aerts, P. and De Vree, F., 135
Doyle, F. I., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Durant, S. M., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473
Eichhorn, K., see Langbein, J., Scheibe, K.-M. and Eichhorn, K., 553
Elston, D. A., see Carss, D. N., Elston, D. A. and Morley, H. S., 295
Entwistle, A. C., Racey, P. A. and Speakman, J. R., The reproductive cycle and determination of sexual maturity in male brown long-eared bats, *Plecotus auritus* (Chiroptera: Vespertilionidae), 63
Escalona, T. and Fa, J. E., Survival of nests of the terecay turtle (*Podocnemis unifilis*) in the Nichare-Tawadu Rivers, Venezuela, 303
Fa, J. E., see Escalona, T. and Fa, J. E., 303
FitzGibbon, C. D., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473
Fleming, T. H., see Horner, M. A., Fleming, T. H. and Sahley, C. T., 575
Frame, G. W., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473
Gaisler, J., Zukal, J., Rehak, Z. and Homolka, M., Habitat preference and flight activity of bats in a city, 439
Gaylard, A., Harrison, Y. and Bennett, N. C., Temporal changes in the social structure of a captive colony of the Damaraland mole-rat, *Cryptomys damarensis*: the relationship of sex and age to dominance and burrow-maintenance activity, 313
Genevois, F., see Mougeot, F., Genevois, F. and Bretagnolle, V., 429
Gerard, J.-F., see Cransac, N., Gerard, J.-F., Maublanc, M.-L. and Pépin, D., 371
Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., A survey of the helminth parasites of cetaceans stranded on the coast of England and Wales during the period 1990–1994, 563
Gorb, S. N., Landolfa, M. A. and Barth, F. G., Dragline-associated behaviour of the orb web spider *Nephila clavipes* (Araneoidea, Tetragnathidae), 323
Grellier, K., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209
Gutiérrez, D. and Menéndez, R., Phenology of butterflies along an altitudinal gradient in northern Spain, 249
Haffner, M., A comparison of the gross morphology and micro-anatomy of the foot pads in two fossorial and two climbing rodents (Mammalia), 287
Harlow, P. S., see Shine, R., Harlow, P. S., Keogh, J. S. and Boeadi, 405
Harris, E. A., see Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., 563
Harrison, Y., see Gaylard, A., Harrison, Y. and Bennett, N. C., 313
Hayden, T. J., see Long, A. M., Moore, N. P. and Hayden, T. J., 123
Haythornthwaite, S., see Bailey, W. J. and Haythornthwaite, S., 505
Healing, T. D., see Bull, S. A., Chalmers, R. M., Sturdee, A. P. and Healing, T. D., 119
Herrel, A., Aerts, P. and De Vree, F., Static biting in lizards: functional morphology of the temporal ligaments, 135
Hirst, D., see Daniels, M. J., Balharry, D., Hirst, D., Kitchener, A. C. and Aspinall, R. J., 231
Hodder, K. H., see Kenward, R. E. and Hodder, K. H., 23
Hodder, K. H., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Holm, J. L., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Homolka, M., see Gaisler, J., Zukal, J., Rehak, Z. and Homolka, M., 439
Horner, M. A., Fleming, T. H. and Sahley, C. T., Foraging behaviour and energetics of a nectar-feeding bat, *Leptonycteris curasoae* (Chiroptera: Phyllostomidae), 575
Huber, B. A., Genital mechanics in some neotropical pholcid spiders (Araneae: Pholcidae), with implications for systematics, 587
Jackson, R. R., see Whitehouse, M. E. A. and Jackson, R. R., 95

Jepson, P. D., see Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., 563
Jewell, P. A., see Mizutani, F. and Jewell, P. A., 269
Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., Demography of the Serengeti cheetah (*Acinonyx jubatus*) population: the first 25 years, 473
Kenward, R. E. and Hodder, K. H., Red squirrels (*Sciurus vulgaris*) released in conifer woodland: the effects of source habitat, predation and interactions with grey squirrels (*Sciurus carolinensis*), 23
Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., Comparative demography of red squirrels (*Sciurus vulgaris*) and grey squirrels (*Sciurus carolinensis*) in deciduous and conifer woodland, 7
Keogh, J. S., see Shine, R., Harlow, P. S., Keogh, J. S. and Boeadi, 405
Kitchener, A. C., see Daniels, M. J., Balharry, D., Hirst, D., Kitchener, A. C. and Aspinall, R. J., 231
Kuiken, T., see Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., 563
Landolfa, M. A., see Gorb, S. N., Landolfa, M. A. and Barth, F. G., 323
Langbein, J., Scheibe, K.-M. and Eichhorn, K., Investigations on periparturient behaviour in free-ranging mouflon sheep (*Ovis orientalis musimon*), 553
Laurenson, M. K., see Kelly, M. J., Laurenson, M. K., FitzGibbon, C. D., Collins, D. A., Durant, S. M., Frame, G. W., Bertram, B. C. R. and Caro, T. M., 473
Lindholm, A. K., Venter, G. J. and Ueckermann, E. A., Persistence of passerine ectoparasites on the diederik cuckoo *Chrysococcyx caprius*, 145
Linnell, J. D. C. and Andersen, R., Timing and synchrony of birth in a hider species, the roe deer *Capreolus capreolus*, 497
Long, A. M., Moore, N. P. and Hayden, T. J., Vocalizations in red deer (*Cervus elaphus*), sika deer (*Cervus nippon*) and red × sika hybrids, 123
Lovegrove, B. G., see Boix-Hinzen, C. and Lovegrove, B. G., 33
Mackay, A., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209
MacLeod, C. D., Intraspecific scarring in odontocete cetaceans: an indicator of male 'quality' in aggressive social interactions?, 71
Madhavi, R., Nirmala, E. and Subbalakshmi, C., A population study of the dicrocoeliid trematode *Paradistomum orientalis* in the garden lizard *Calotes versicolor*, 489
Malizia, A. I., Population dynamics of the fossorial rodent *Ctenomys talarum* (Rodentia: Octodontidae), 545
Marnell, F., Discriminant analysis of the terrestrial and aquatic habitat determinants of the smooth newt (*Triturus vulgaris*) and the common frog (*Rana temporaria*) in Ireland, 1
Mason, C. F., Habitats of the song thrush *Turdus philomelos* in a largely arable landscape, 89
Masters, E., see Park, K. J., Masters, E. and Altringham, J. D., 379
Maublanc, M.-L., see Cransac, N., Gerard, J.-F., Maublanc, M.-L. and Pépin, D., 371
Melone, G., see Segers, H. and Melone, G., 201
Menéndez, R., see Gutiérrez, D. and Menéndez, R., 249
Mizutani, F. and Jewell, P. A., Home-range and movements of leopards (*Panthera pardus*) on a livestock ranch in Kenya, 269
Monteiro-Filho, E. L. A., see Quadros, J. and Monteiro-Filho, E. L. A., 331
Moore, N. P., see Long, A. M., Moore, N. P. and Hayden, T. J., 123
Morley, H. S., see Carss, D. N., Elston, D. A. and Morley, H. S., 295
Morris, P. A., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Morton, B., see Tan, K. S. and Morton, B., 391
Mougeot, F., Genevois, F. and Bretagnolle, V., Predation on burrowing petrels by the brown skua (*Catharacta skua lönnbergi*) at Mayes Island, Kerguelen, 429
Munthali, S. M. and Ribbink, A. J., Condition and fecundity of translocated rock-dwelling cichlid fish in Lake Malawi, 347
Nakamura, H., see Brooke, M. de L. and Nakamura, H., 167
Nesis, K. N., Nigmatullin, Ch. M. and Nikitina, I. V., Spent females of deepwater squid *Galiteuthis glacialis* under the ice at the surface of the Weddell Sea (Antarctic), 185
Nigmatullin, Ch. M., see Nesis, K. N., Nigmatullin, Ch. M. and Nikitina, I. V., 185
Nikitina, I. V., see Nesis, K. N., Nigmatullin, Ch. M. and Nikitina, I. V., 185
Nirmala, E., see Madhavi, R., Nirmala, E. and Subbalakshmi, C., 489
Nixon, M., John Zachary Young (1907–1997): Obituary, 157

Odening, K., see Stolte, M., Bockhardt, I. and Odening, K., 265
Parish, T., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Park, K. J., Masters, E. and Altringham, J. D., Social structure of three sympatric bat species (Vespertilionidae), 379
Parlane, S., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209
Pépin, D., see Cransac, N., Gerard, J.-F., Maublanc, M.-L. and Pépin, D., 371
Pérez López, F. J., see Sánchez Piñero, F. and Pérez López, F. J., 357
Quadros, J. and Monteiro-Filho, E. L. A., Effects of digestion, putrefaction, and taxidermy processes on *Didelphis albiventris* hair morphology, 331
Racey, P. A., see Entwistle, A. C., Racey, P. A. and Speakman, J. R., 63
Ray, J. C., Temporal variation of predation on rodents and shrews by small African forest carnivores, 363
Rehak, Z., see Gaisler, J., Zukal, J., Rehak, Z. and Homolka, M., 439
Ribbink, A. J., see Munthali, S. M. and Ribbink, A. J., 347
Rose, R. J., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Sahley, C. T., see Horner, M. A., Fleming, T. H. and Sahley, C. T., 575
Sánchez Piñero, F. and Pérez López, F. J., Coprophagy in Lepidoptera: observational and experimental evidence in the pyralid moth *Aglossa pinguinalis*, 357
Scheibe, K.-M., see Langbein, J., Scheibe, K.-M. and Eichhorn, K., 553
Segers, H. and Melone, G., A comparative study of trophi morphology in Seisonidea (Rotifera), 201
Seymour, R. S., Withers, P. C. and Weathers, W. W., Energetics of burrowing, running, and free-living in the Namib Desert golden mole (*Eremitalpa namibensis*), 107
Shine, R., Harlow, P. S., Keogh, J. S. and Boeadi, The allometry of life-history traits: insights from a study of giant snakes (*Python reticulatus*), 405
Simpson, V. R., see Gibson, D. I., Harris, E. A., Bray, R. A., Jepson, P. D., Kuiken, T., Baker, J. R. and Simpson, V. R., 563
Smith, M. J., Establishment of a captive colony of *Bettongia tropica* (Marsupialia: Potoroidae) by cross-fostering; and observations on reproduction, 43
Speakman, J. R., see Entwistle, A. C., Racey, P. A. and Speakman, J. R., 63
Stolte, M., Bockhardt, I. and Odening, K., Scanning electron microscopic identification of *Sarcocystis gracilis* from roe deer and cattle, 265
Stott, P., see Adkins, C. A. and Stott, P., 335
Sturdee, A. P., see Bull, S. A., Chalmers, R. M., Sturdee, A. P. and Healing, T. D., 119
Subbalakshmi, C., see Madhavi, R., Nirmala, E. and Subbalakshmi, C., 489
Sweitzer, R. A. and Berger, J., Evidence for female-biased dispersal in North American porcupines (*Erethizon dorsatum*), 159
Tan, K. S. and Morton, B., The ecology of *Engina armillata* (Gastropoda: Buccinidae) in the Cape d'Aguilar Marine Reserve, Hong Kong, with particular reference to its preferred prey (Polychaeta: Serpulidae), 391
Thandar, A. S., A new genus and three new species of deep-sea holothuroids from the west coast of South Africa (Echinodermata), 79
Thompson, P. M., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209
Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., Variations in harbour seal *Phoca vitulina* diet and dive-depths in relation to foraging habitat, 209
Ueckermann, E. A., see Lindholm, A. K., Venter, G. J. and Ueckermann, E. A., 145
Van Parijs, S. M., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209
Vassallo, A. I., Functional morphology, comparative behaviour, and adaptation in two sympatric subterranean rodents genus *Ctenomys* (Caviomorpha: Octodontidae), 415
Venter, G. J. , see Lindholm, A. K., Venter, G. J. and Ueckermann, E. A., 145
Wallace, E. D. and Bennett, N. C., The colony structure and social organization of the giant Zambian mole-rat, *Cryptomys mechowi*, 51
Walls, C. A., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Walls, S. S., see Kenward, R. E., Hodder, K. H., Rose, R. J., Walls, C. A., Parish, T., Holm, J. L., Morris, P. A., Walls, S. S. and Doyle, F. I., 7
Weathers, W. W., see Seymour, R. S., Withers, P. C. and Weathers, W. W., 107

Whitehouse, M. E. A. and Jackson, R. R., Predatory behaviour and parental care in *Argyrodes flavipes*, a social spider from Queensland, 95
Wilson, B., see Tollit, D. J., Black, A. D., Thompson, P. M., Mackay, A., Corpe, H. M., Wilson, B., Van Parijs, S. M., Grellier, K. and Parlane, S., 209
Withers, P. C., see Seymour, R. S., Withers, P. C. and Weathers, W. W., 107
ZSL Scientific Meetings: short report, 155
Zukal, J., see Gaisler, J., Zukal, J., Rehak, Z. and Homolka, M., 439